

BladeX 2.9.0.RELEASE :: blade-kxk-pms:dev :: Running SpringBoot 2.3.12.RELEASE ::

```
21:58:46,110 I-WARN in ch.qos.logback.core.rolling.RollingFileAppender[CONFIG_LOG_FILE] - Attempted to append to non started appender [CONFIG_LOG_FILE].
21:58:46,119 I-WARN in ch.qos.logback.core.rolling.RollingFileAppender[REMOTE_LOG_FILE] - Attempted to append to non started appender [REMOTE_LOG_FILE].
2022-10-13 21:58:46.339 INFO [blade-kxk-pms,,] 1 --- [ main] org.reflections.Reflections : Reflections took 146 ms to scan 1 urls, producing 3 keys and 6 values
2022-10-13 21:58:46.515 INFO [blade-kxk-pms,,] 1 --- [ main] org.reflections.Reflections : Reflections took 120 ms to scan 1 urls, producing 4 keys and 9 values
2022-10-13 21:58:46.590 INFO [blade-kxk-pms,,] 1 --- [ main] org.reflections.Reflections : Reflections took 72 ms to scan 1 urls, producing 3 keys and 10 values
2022-10-13 21:58:47.635 INFO [blade-kxk-pms,,] 1 --- [ main] org.reflections.Reflections : Reflections took 1038 ms to scan 312 urls, producing 0 keys and 0 values
2022-10-13 21:58:47.783 INFO [blade-kxk-pms,,] 1 --- [ main] org.reflections.Reflections : Reflections took 146 ms to scan 1 urls, producing 1 keys and 5 values
2022-10-13 21:58:47.911 INFO [blade-kxk-pms,,] 1 --- [ main] org.reflections.Reflections : Reflections took 122 ms to scan 1 urls, producing 1 keys and 7 values
2022-10-13 21:58:48.045 INFO [blade-kxk-pms,,] 1 --- [ main] org.reflections.Reflections : Reflections took 126 ms to scan 1 urls, producing 2 keys and 8 values
2022-10-13 21:58:49.577 INFO [blade-kxk-pms,,] 1 --- [ main] org.reflections.Reflections : Reflections took 1526 ms to scan 312 urls, producing 0 keys and 0 values
21:58:49,579 I-WARN in ch.qos.logback.core.rolling.RollingFileAppender[REMOTE_LOG_FILE] - Attempted to append to non started appender [REMOTE_LOG_FILE].
21:58:49,582 I-WARN in ch.qos.logback.core.rolling.RollingFileAppender[REMOTE_LOG_FILE] - Attempted to append to non started appender [REMOTE_LOG_FILE].
21:58:51,049 I-WARN in net.logstash.logback.appender.LogstashTcpSocketAppender[STDOUT_LOGSTASH] - Log destination 192.168.31.188:9000: connection failed. java.net.SocketTimeoutException: connect timed out
    at java.net.SocketTimeoutException: connect timed out
    at java.net.PlainSocketImpl.socketConnect(Native Method)
    at java.net.AbstractPlainSocketImpl.doConnect(Unknown Source)
    at java.net.AbstractPlainSocketImpl.connectToAddress(Unknown Source)
    at java.net.AbstractPlainSocketImpl.connect(Unknown Source)
    at java.net.SocksSocketImpl.connect(Unknown Source)
    at java.net.Socket.connect(Unknown Source)
    at
net.logstash.logback.appender.AbstractLogstashTcpSocketAppender$TcpSendingEventHandler.openSocket(AbstractLogstashTcpSocketAppender.java:719)
    at
net.logstash.logback.appender.AbstractLogstashTcpSocketAppender$TcpSendingEventHandler.onStart(AbstractLogstashTcpSocketAppender.java:639)
    at
net.logstash.logback.appender.AsyncDisruptorAppender$EventClearingEventHandler.onStart(AsyncDisruptorAppender.java:351)
    at net.logstash.logback.encoder.com.lmax.disruptor.BatchEventProcessor.notifyStart(BatchEventProcessor.java:224)
    at net.logstash.logback.encoder.com.lmax.disruptor.BatchEventProcessor.run(BatchEventProcessor.java:120)
    at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
    at java.util.concurrent.FutureTask.run(Unknown Source)
    at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$201(Unknown Source)
    at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
    at java.lang.Thread.run(Unknown Source)
21:58:51,049 I-WARN in net.logstash.logback.appender.LogstashTcpSocketAppender[STDOUT_LOGSTASH] - Log destination 192.168.31.188:9000: Waiting 24993ms before attempting reconnection.
21:59:00,198 I-WARN in ch.qos.logback.core.rolling.RollingFileAppender[CONFIG_LOG_FILE] - Attempted to append to non started appender [CONFIG_LOG_FILE].
21:59:00,518 I-WARN in ch.qos.logback.core.rolling.RollingFileAppender[CONFIG_LOG_FILE] - Attempted to append to non started appender [CONFIG_LOG_FILE].
2022-10-13 21:59:00.520 WARN [blade-kxk-pms,,] 1 --- [ main] c.a.c.n.c.NacosPropertySourceBuilder : Ignore the empty nacos configuration and get it based on dataId[blade.yaml] & group[DEFAULT_GROUP]
2022-10-13 21:59:00.836 WARN [blade-kxk-pms,,] 1 --- [ main] c.a.c.n.c.NacosPropertySourceBuilder : Ignore the empty nacos configuration and get it based on dataId[blade-dev.yaml] & group[DEFAULT_GROUP]
2022-10-13 21:59:01.141 WARN [blade-kxk-pms,,] 1 --- [ main] c.a.c.n.c.NacosPropertySourceBuilder : Ignore the empty nacos configuration and get it based on dataId[blade-kxk-pms] & group[DEFAULT_GROUP]
2022-10-13 21:59:01.444 WARN [blade-kxk-pms,,] 1 --- [ main] c.a.c.n.c.NacosPropertySourceBuilder : Ignore the empty nacos configuration and get it based on dataId[blade-kxk-pms.yaml] & group[DEFAULT_GROUP]
2022-10-13 21:59:01.759 WARN [blade-kxk-pms,,] 1 --- [ main] c.a.c.n.c.NacosPropertySourceBuilder : Ignore the empty nacos configuration and get it based on dataId[blade-kxk-pms-dev.yaml] & group[DEFAULT_GROUP]
2022-10-13 21:59:01.761 INFO [blade-kxk-pms,,] 1 --- [ main] b.c.PropertySourceBootstrapConfiguration : Located property source: [BootstrapPropertySource {name='bootstrapProperties-blade-kxk-pms-dev.yaml,DEFAULT_GROUP'}, BootstrapPropertySource {name='bootstrapProperties-blade-kxk-pms.yaml,DEFAULT_GROUP'}, BootstrapPropertySource {name='bootstrapProperties-blade-kxk-pms,DEFAULT_GROUP'}, BootstrapPropertySource {name='bootstrapProperties-blade-dev.yaml,DEFAULT_GROUP'}, BootstrapPropertySource {name='bootstrapProperties-blade.yaml,DEFAULT_GROUP'}]
2022-10-13 21:59:01.899 INFO [blade-kxk-pms,,] 1 --- [ main] com.chaorengo.kxkpms.KxkPmsApplication : The following profiles are active: dev
2022-10-13 21:59:02.801 WARN [blade-kxk-pms,,] 1 --- [ main] o.s.c.c.u.SpringFactoryImportSelector : More than one implementation of @EnableCircuitBreaker (now relying on @Conditionals to pick one): [org.springframework.cloud.netflix.hystrix.HystrixCircuitBreakerConfiguration, com.alibaba.cloud.sentinel.custom.SentinelCircuitBreakerConfiguration]
2022-10-13 21:59:02.952 ERROR [blade-kxk-pms,,] 1 --- [t.remote.worker] c.a.c.n.c.remote.client.grpc.GrpcClient : Server check fail, please
```

check server 192.168.31.252 ,port 9848 is available , error ={}

```
java.util.concurrent.TimeoutException: Waited 3000 milliseconds (plus 1 milliseconds, 174640 nanoseconds delay) for
com.alibaba.nacos.shaded.io.grpc.stub.ClientCalls$GrpcFuture@8a43cd6f[status=PENDING,
info=[GrpcFuture{clientCall={delegate={delegate=ClientCallImpl{method=MethodDescriptor{fullName=Request/request, type=UNARY,
idempotent=false, safe=false, sampledToLocalTracing=true,
requestMarshaller=com.alibaba.nacos.shaded.io.grpc.protobuf.lite.ProtoLiteUtils$MessageMarshaller@c245fe2a,
responseMarshaller=com.alibaba.nacos.shaded.io.grpc.protobuf.lite.ProtoLiteUtils$MessageMarshaller@e8c0892b,
schemaDescriptor=com.alibaba.nacos.api.grpc.auto.RequestGrpc$RequestMethodDescriptorSupplier@11754c04}}}}]]]
at com.alibaba.nacos.shaded.com.google.common.util.concurrent.AbstractFuture.get(AbstractFuture.java:508)
at com.alibaba.nacos.common.remote.client.grpc.GrpcClient.serverCheck(GrpcClient.java:146)
at com.alibaba.nacos.common.remote.client.grpc.GrpcClient.connectToServer(GrpcClient.java:268)
at com.alibaba.nacos.common.remote.client.RpcClient.reconnect(RpcClient.java:528)
at com.alibaba.nacos.common.remote.client.RpcClient$3.run(RpcClient.java:373)
at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
at java.util.concurrent.FutureTask.run(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$201(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

2022-10-13 21:59:06.162 ERROR [blade-kxk-pms,...] 1 --- [t.remote.worker] c.a.n.c.remote.client.grpc.GrpcClient : Server check fail, please check server 192.168.31.252 ,port 9848 is available , error ={}

```
java.util.concurrent.TimeoutException: Waited 3000 milliseconds (plus 871065 nanoseconds delay) for
com.alibaba.nacos.shaded.io.grpc.stub.ClientCalls$GrpcFuture@81c7717[status=PENDING,
info=[GrpcFuture{clientCall={delegate={delegate=ClientCallImpl{method=MethodDescriptor{fullName=Request/request, type=UNARY,
idempotent=false, safe=false, sampledToLocalTracing=true,
requestMarshaller=com.alibaba.nacos.shaded.io.grpc.protobuf.lite.ProtoLiteUtils$MessageMarshaller@c245fe2a,
responseMarshaller=com.alibaba.nacos.shaded.io.grpc.protobuf.lite.ProtoLiteUtils$MessageMarshaller@e8c0892b,
schemaDescriptor=com.alibaba.nacos.api.grpc.auto.RequestGrpc$RequestMethodDescriptorSupplier@11754c04}}}}]]]
at com.alibaba.nacos.shaded.com.google.common.util.concurrent.AbstractFuture.get(AbstractFuture.java:508)
at com.alibaba.nacos.common.remote.client.grpc.GrpcClient.serverCheck(GrpcClient.java:146)
at com.alibaba.nacos.common.remote.client.grpc.GrpcClient.connectToServer(GrpcClient.java:268)
at com.alibaba.nacos.common.remote.client.RpcClient.reconnect(RpcClient.java:528)
at com.alibaba.nacos.common.remote.client.RpcClient$3.run(RpcClient.java:373)
at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
at java.util.concurrent.FutureTask.run(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$201(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

21:59:06,878 I-WARN in net.logstash.logback.appender.LogstashTcpSocketAppender[STDOUT_LOGSTASH] - Log destination

192.168.31.188:9000: connection failed. java.net.SocketTimeoutException: connect timed out

```
at java.net.SocketTimeoutException: connect timed out
at at java.net.AbstractPlainSocketImpl.doConnect(Unknown Source)
at at java.net.AbstractPlainSocketImpl.connectToAddress(Unknown Source)
at at java.net.AbstractPlainSocketImpl.connect(Unknown Source)
at at java.net.SocksSocketImpl.connect(Unknown Source)
at at java.net.Socket.connect(Unknown Source)
at at
```

net.logstash.logback.appender.AbstractLogstashTcpSocketAppender\$TcpSendingEventHandler.openSocket(AbstractLogstashTcpSocketAppender.java:719)

```
at at
```

net.logstash.logback.appender.AbstractLogstashTcpSocketAppender\$TcpSendingEventHandler.onStart(AbstractLogstashTcpSocketAppender.java:639)

```
at at net.logstash.logback.appender.AsyncDisruptorAppender$EventClearingEventHandler.onStart(AsyncDisruptorAppender.java:351)
at at net.logstash.logback.encoder.com.lmax.disruptor.BatchEventProcessor.notifyStart(BatchEventProcessor.java:224)
at at net.logstash.logback.encoder.com.lmax.disruptor.BatchEventProcessor.run(BatchEventProcessor.java:120)
at at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
at at java.util.concurrent.FutureTask.run(Unknown Source)
at at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$201(Unknown Source)
at at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown Source)
at at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at at java.lang.Thread.run(Unknown Source)
```

21:59:06,879 I-WARN in net.logstash.logback.appender.LogstashTcpSocketAppender[STDOUT_LOGSTASH] - Log destination

192.168.31.188:9000: Waiting 24994ms before attempting reconnection.

2022-10-13 21:59:09.374 ERROR [blade-kxk-pms,...] 1 --- [t.remote.worker] c.a.n.c.remote.client.grpc.GrpcClient : Server check fail, please check server 192.168.31.252 ,port 9848 is available , error ={}

```
java.util.concurrent.TimeoutException: Waited 3000 milliseconds (plus 2 milliseconds, 441838 nanoseconds delay) for
com.alibaba.nacos.shaded.io.grpc.stub.ClientCalls$GrpcFuture@a1191fbf[status=PENDING,
info=[GrpcFuture{clientCall={delegate={delegate=ClientCallImpl{method=MethodDescriptor{fullName=Request/request, type=UNARY,
idempotent=false, safe=false, sampledToLocalTracing=true,
requestMarshaller=com.alibaba.nacos.shaded.io.grpc.protobuf.lite.ProtoLiteUtils$MessageMarshaller@c245fe2a,
```

```
responseMarshaller=com.alibaba.nacos.shaded.io.grpc.protobuf.lite.ProtoLiteUtils$MessageMarshaller@e8c0892b,
schemaDescriptor=com.alibaba.nacos.api.grpc.auto.RequestGrpc$RequestMethodDescriptorSupplier@11754c04}}}}]]]
  at com.alibaba.nacos.shaded.com.google.common.util.concurrent.AbstractFuture.get(AbstractFuture.java:508)
  at com.alibaba.nacos.common.remote.client.grpc.GrpcClient.serverCheck(GrpcClient.java:146)
  at com.alibaba.nacos.common.remote.client.grpc.GrpcClient.connectToServer(GrpcClient.java:268)
  at com.alibaba.nacos.common.remote.client.RpcClient.reconnect(RpcClient.java:528)
  at com.alibaba.nacos.common.remote.client.RpcClient$3.run(RpcClient.java:373)
  at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
  at java.util.concurrent.FutureTask.run(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$201(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

2022-10-13 21:59:12.726 ERROR [blade-kxk-pms,,] 1 --- [t.remote.worker] c.a.n.c.remote.client.grpc.GrpcClient : Server check fail, please check server 192.168.31.252 ,port 9848 is available , error ={}

```
java.util.concurrent.TimeoutException: Waited 3000 milliseconds (plus 1 milliseconds, 486689 nanoseconds delay) for
com.alibaba.nacos.shaded.io.grpc.stub.ClientCalls$GrpcFuture@ddc33ed8[status=PENDING,
info=[GrpcFuture{clientCall={delegate={delegate=ClientCallImpl{method=MethodDescriptor{fullName=Request/request, type=UNARY,
idempotent=false, safe=false, sampledToLocalTracing=true,
requestMarshaller=com.alibaba.nacos.shaded.io.grpc.protobuf.lite.ProtoLiteUtils$MessageMarshaller@c245fe2a,
responseMarshaller=com.alibaba.nacos.shaded.io.grpc.protobuf.lite.ProtoLiteUtils$MessageMarshaller@e8c0892b,
schemaDescriptor=com.alibaba.nacos.api.grpc.auto.RequestGrpc$RequestMethodDescriptorSupplier@11754c04}}}}}}]]]
  at com.alibaba.nacos.shaded.com.google.common.util.concurrent.AbstractFuture.get(AbstractFuture.java:508)
  at com.alibaba.nacos.common.remote.client.grpc.GrpcClient.serverCheck(GrpcClient.java:146)
  at com.alibaba.nacos.common.remote.client.grpc.GrpcClient.connectToServer(GrpcClient.java:268)
  at com.alibaba.nacos.common.remote.client.RpcClient.reconnect(RpcClient.java:528)
  at com.alibaba.nacos.common.remote.client.RpcClient$3.run(RpcClient.java:373)
  at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
  at java.util.concurrent.FutureTask.run(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$201(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

2022-10-13 21:59:16.152 ERROR [blade-kxk-pms,,] 1 --- [t.remote.worker] c.a.n.c.remote.client.grpc.GrpcClient : Server check fail, please check server 192.168.31.252 ,port 9848 is available , error ={}

```
java.util.concurrent.TimeoutException: Waited 3000 milliseconds (plus 1 milliseconds, 44952 nanoseconds delay) for
com.alibaba.nacos.shaded.io.grpc.stub.ClientCalls$GrpcFuture@7a347747[status=PENDING,
info=[GrpcFuture{clientCall={delegate={delegate=ClientCallImpl{method=MethodDescriptor{fullName=Request/request, type=UNARY,
idempotent=false, safe=false, sampledToLocalTracing=true,
requestMarshaller=com.alibaba.nacos.shaded.io.grpc.protobuf.lite.ProtoLiteUtils$MessageMarshaller@c245fe2a,
responseMarshaller=com.alibaba.nacos.shaded.io.grpc.protobuf.lite.ProtoLiteUtils$MessageMarshaller@e8c0892b,
schemaDescriptor=com.alibaba.nacos.api.grpc.auto.RequestGrpc$RequestMethodDescriptorSupplier@11754c04}}}}}}]]]
  at com.alibaba.nacos.shaded.com.google.common.util.concurrent.AbstractFuture.get(AbstractFuture.java:508)
  at com.alibaba.nacos.common.remote.client.grpc.GrpcClient.serverCheck(GrpcClient.java:146)
  at com.alibaba.nacos.common.remote.client.grpc.GrpcClient.connectToServer(GrpcClient.java:268)
  at com.alibaba.nacos.common.remote.client.RpcClient.reconnect(RpcCli
```